ELSEVIER

Journal of Pure Applied Algebra 171 (2002) 339

JOURNAL OF PURE AND APPLIED ALGEBRA

www.elsevier.com/locate/jpaa

Author Index Volume 171 (2002)

Akbari, S. and M. Mahdavi-Hezavehi, On the existence of normal maximal subgroups in division rings (2–3) 123–131
Albuquerque, H. and S. Majid, Clifford algebras obtained by twisting of group algebras (2–3) 133–148
Ballet, S., Quasi-optimal algorithms for multiplication in the extensions of $\mathbb{F}_{16}$ of degree 13, 14 and 15 (2–3) 149–164
Bastardas, G., Surjectivity need not be preserved by group localizations (2–3) 165–170
Branco, M.B., see J.C. Rosales (2–3) 303–314
Cuadra, J. and F. van Oystaeyen, The strong Brauer group of a cocommutative coalgebra (1) 1– 15
El Baghdadi, S., L. Izelgue and S. Kabbaj, On the class group of a graded domain (2–3) 171–184
Gago-Vargas, J., Constructions in $R[x_1, \ldots, x_n]$: applications to K-theory (2–3) 185–196
Gonçalves, D. and P. Wong, Factorization of group homomorphisms (2–3) 197–204
Grandis, M., On the monad of proper factorisation systems in categories (1) 17– 26
Hofmann, D., A generalization of the duality compactness theorem (2–3) 205–217
Izelgue, L., see S. El Baghdadi (2–3) 171–184
Joshua, R., Derived functors for maps of simplicial spaces (2–3) 219–248
Kabbaj, S., see S. El Baghdadi (2–3) 171–184
Karaca , I., Unstable modules over the Steenrod algebra (2–3) 249–255
Karaca, I., Nilpotence relations in the mod-p Steenrod algebra (2–3) 257–264
Kim, C.H. and J.K. Koo, Self-recursion formulas of certain monstrous functions (1) 27– 40
Klucznik, M. and V. Mazorchuk, Parabolic decomposition for properly stratified algebras (1) 41– 58
Koo, J.K., see C.H. Kim (1) 27– 40
Kou, H., see S. Ye (2–3) 333–338
Kovacic, J.J., Global sections of diffspec (2–3) 265–288
Li, Y., Some notes on the minimal subgroups of Fitting subgroups of finite groups (2–3) 289–294
Mahdavi-Hezavehi, M., see S. Akbari (2–3) 123–131
Majid, S., see H. Albuquerque (2–3) 133–148
Mazorchuk, V., see M. Klucznik (1) 41– 58
Pereira, J.V., Invariant hypersurfaces for positive characteristic vector fields (2–3) 295–301
Richter, B., An Atiyah–Hirzebruch spectral sequence for topological André–Quillen homology (1) 59– 66
Rosales, J.C. and M.B. Branco, Numerical semigroups that can be expressed as an intersection of symmetric numerical semigroups (2–3) 303–314
Sanchis, M. and M. Tkachenko, Suitable sets for subgroups of direct sums of discrete groups (2–3) 315–332
Shumyatsky, P., On varieties arising from the solution of the Restricted Burnside Problem (1) 67– 74
Tkachenko, M., see M. Sanchis (2–3) 315–332
Virelizier, A., Hopf group-coalgebras (1) 75–122
van Oystaeyen, F., see J. Cuadra (1) 1– 15
Wong, P., see D. Gonçalves (2–3) 197–204
Ye, S. and H. Kou, Notes on direct limits of complete lattices and frames (2–3) 333–338

PII: S0022-4049(02)00093-2